Episcopal Safety Program - Survey

DRM	:
Diocese of	: New Jersey
Church	:
Mailing Ad	ldress:
City, State,	Zip:
Physical Ac	ddress:
Date	:

General Risk Survey

1.	Does the church maintain a video inventory?
	Y es
	We recommend that the church maintain a video inventory of church contents and maintain a copy off site.
2.	Does the church have a crisis management/emergency relocation plan?
	Zes Zes
	We recommend that the church develop a crisis management/emergency relocation plan and maintain a copy off
3.	Does the church have a first aid kit clearly marked and readily available?
	'es
	We recommend that the church maintain a clearly marked and readily available first aid kit.

People/Activities Survey

1)	Does t	he church have guidelines for referring members to a professional elor?
	Yes	
	No	We recommend that the church guidelines for referring members to a professional counselor.
2)		ne church adopted the Diocesan policies and procedures requiring and background checks for anyone working with children?
	Yes	
	No	We recommend that the church adopt policies and procedures requiring the training and background checks for anyone working with children.
3)		he church have guidelines pertaining to when a new member of the have volunteer?
	Yes	
	No	We recommend that the church develop guidelines pertaining to when a new member may volunteer.
4)		he church require Certificates of Insurance / Hold Harmless nents when outside groups use your property?
	Yes	
	No	We recommend that the church develop guidelines pertaining to when a new member may volunteer.
	N/A	No outside groups use the property
5)	Does t	he church require permission slips for youth group outings?
	Yes	
	No	We recommend that the church require permission slips for youth group outings.
	N/A	No Youth Group

Handling Monies/Fiduciary Survey

1) <u>Are</u>	check signing responsibilities divided or belong to one person?
☐ Yes	
□No	We recommend that the church divide check signing responsibilities between two or more individuals.
2) <u>Doe</u>	s the church deposit the offering on the same day?
□Yes	
□No	We recommend that the church consider utilizing same day deposit of offerings.
3) <u>Doe</u>	s the church have screening requirements for money handlers?
☐ Yes	
□No	We recommend that the church develop screening requirements for all money handlers.
4) <u>Are</u>	checks marked "for deposit only"?
☐ Yes	
□No	We recommend that the church mark all checks "for deposit only".
	s the church utilize a CPA or other diocesan approved individual(s) to form an annual audit?
☐ Yes	
□No	We recommend that the church utilize a CPA or other diocesan approved individual(s) to complete an annual audit.

Sanctuary Survey / Walkthrough

1) <u>Are</u>	there any apparent roof hazards?
□ Yes	We recommend that the church have the sanctuary roof reviewed by a licensed professional.
2) <u>Are</u>	there any apparent electrical hazards?
☐ Yes	We recommend that the church have the sanctuary electrical system reviewed by a licensed professional.
3) <u>Are</u>	there any apparent structural hazards?
□ Yes	We recommend that the church have the sanctuary be reviewed by a licensed engineering professional.
4) <u>Are</u>	there any apparent slip and fall hazards?
□ Yes	We recommend that the church have the sanctuary reviewed for any slip and fall hazards such as loose carpeting, loose wires / cords, etc.
5) <u>Are</u>	there smoke detectors and fire extinguishers in this building?
	We recommend that the church install smoke detectors and fire extinguishers in the sanctuary.
6) <u>Are</u>	all means of egress in this building clear of obstruction?
☐ Yes	
□No	We recommend that the church remove obstructions to all exits in the
7) <u>Are</u>	there exit signs or emergency lighting in this building?
□Yes	
_ > T	We recommend that the church consider installing emergency lighting / exisigns in the sanctuary.

8) Are any handrails secure and sturdy?
□Yes
\square No We recommend that the church secure any loose hand rails in the
9) <u>Is any stained glass protected by an outside covering?</u>
□Yes
We recommend that the church cover any exposed stained glass, □ No preferably with a metal mesh system.
□ No N/A
10) <u>Is housekeeping appropriate for this building?</u>
□Yes
We recommend that the church perform some additional housekeeping in the sanctuary.
Additional Comments:

Boiler/ HVAC Room Survey

	oes the church prevent this area from being used for storage of flammable
a	nd/or combustible materials?
□Ye	s
□No	We recommend that the church prevent the storage of flammable and/or combustible materials in the boiler room.
_	s there a smoke detector and charged fire extinguisher clearly marked and eadily available in this room?
□Ye	S
□No	We recommend that the church install smoke detectors and fire extinguishers in the boiler room.
3) <u>Is</u>	s there any apparent slip and fall hazards?
□Ye	We recommend that the church correct any slip and fall hazards in the boiler room.
□No	

Kitchen Survey

□ **N/A** No kitchen

		he church has a commercial stove, does it have fire suppression pabilities and a current Commercial Stove Inspection?
		
	No	We recommend that the church have the commercial stove reviewed by a licensed professional on an annual basis and that a commercial stove inspection be maintained.
	V/A	No commercial stove
		a smoke detector and charged fire extinguisher clearly marked and readily allable in the kitchen?
		made in the kitchen.
		We recommend that the church install smoke detectors and fire extinguishers in the kitchen.
3) □ Y		he church has a walk in freezer, is there an emergency means of egress?
		We recommend that the church have the walk in freezer reviewed by a licensed professional with the goal of providing an emergency egress
□N	/A	No walk in freezer
		es the church prevent the storage of chemicals and /or poisons in the chen?
\Box 7	Yes	
	Vo	We recommend that the church prevent the storage of chemicals and /or poisons in the kitchen.
5)		e knives stored in an appropriate manner?
		We recommend that the church store kitchen knifes in a more appropriate / safe manner.
6)	<u>Is t</u>	he kitchen housekeeping appropriate?
	<i>l</i> es	
	Vo	We recommend that the church perform some additional housekeeping in the kitchen.

Parish Hall Survey

1) Are there any apparent roof hazards?

□Yes	We recommend that the church have the parish hall roof reviewed by a licensed professional.
□No	
2) <u>Are</u>	e there any apparent electrical hazards?
☐ Yes	We recommend that the church have the parish hall electrical system reviewed by a licensed professional.
3) <u>Are</u>	e there any apparent structural hazards?
□ Yes	We recommend that the church have the parish hall be reviewed by a licensed engineering professional.
4) <u>Are</u>	e there any apparent slip and fall hazards?
☐ Yes	We recommend that the church have the parish hall reviewed for any slip and fall hazards such as loose carpeting, loose wires / cords, etc.
	e there smoke detectors and fire extinguishers in this building?
□ Yes	We recommend that the church install smoke detectors and fire extinguishers in the parish hall.
6) <u>Are</u>	e all means of egress in this building clear of obstruction?
☐ Yes	
□No	We recommend that the church remove obstructions to all exits in the parish
7) <u>Are</u>	e there exit signs or emergency lighting in this building?
□Yes	
□No	We recommend that the church consider installing emergency lighting / exit signs in the parish hall.

o) Are	Are any nandrans secure and sturdy?	
□Yes		
□No	We recommend that the church secure any loose hand rails in the parish hall.	
9) <u>Is a</u>	ny stained glass protected by an outside covering?	
□Yes		
□No	We recommend that the church cover any exposed stained glass, preferably with a metal mesh system.	
□ N/A	N/A	
10) <u>Is housekeeping appropriate for this building?</u>		
☐ Yes		
□No	We recommend that the church perform some additional housekeeping in the parish hall.	

Educational Unit Survey

□ **N/A** No educational unit

1) <u>Are</u>	1) Are there any apparent roof hazards?	
□ Yes	We recommend that the church have the educational unit roof reviewed by a licensed professional.	
2) <u>Are</u>	e there any apparent electrical hazards?	
□ Yes	We recommend that the church have the educational unit electrical system reviewed by a licensed professional.	
3) <u>Are</u>	e there any apparent structural hazards?	
□ Yes	We recommend that the church have the educational unit be reviewed by a licensed engineering professional.	
4) <u>Are</u>	e there any apparent slip and fall hazards?	
□ Yes	We recommend that the church have the educational unit reviewed for any slip and fall hazards such as loose carpeting, loose wires / cords, etc.	
5) <u>Are</u>	e there smoke detectors and fire extinguishers in this building?	
□ Yes	We recommend that the church install smoke detectors and fire extinguishers in the educational unit.	
6) <u>Are</u>	e all means of egress in this building clear of obstruction?	
□Yes		
□No	We recommend that the church remove obstructions to all exits in the educational unit.	

7) <u>Ar</u>	e there exit signs or emergency lighting in this building?
□Yes	
□No	We recommend that the church consider installing emergency lighting / exit signs in the educational unit.
8) <u>Ar</u>	e any handrails secure and sturdy?
☐ Yes	
□No	We recommend that the church secure any loose hand rails in the educational unit.
9) <u>Do</u>	es the church have age appropriate furniture in the educational unit?
□Yes	
□No	We recommend that the church utilize age appropriate furniture in the educational unit.
	e there any nursery hazards such as long window cords, peeling lead int, etc?
□Yes	We recommend that the church remove any nursery hazards in the educational unit such as peeling lead paint and long window cords, etc.
□No	
11) <u>Is l</u>	nousekeeping appropriate for this building?
☐ Yes	
□No	We recommend that the church perform some additional housekeeping in the educational area.

Playground Survey

□ **N/A** No playground

1) <u>Is the type/depth of the playground surface appropriate (Wood Chips/Rubber / Other / 4 inches minimum)?</u>		
□Yes		
□No	We recommend that the church ensure the appropriate surface type and depth be maintained in the playground.	
	all equipment designed for this type of installation and anchored securely ommercial grade equipment)?	
□Yes		
□No	We recommend that the church only utilize appropriate, commercial grade playground equipment.	
3) <u>Is</u>	all equipment spaced 6 to 12 feet apart?	
□Yes		
□No	We recommend that the church maintain an appropriate, distance of 6 feet or more between all playground equipment.	
4) Are there any areas of exposed concrete, stumps, sharp edges, etc?		
□ Yes	We recommend that the church remove any exposed concrete, stumps and / or sharp edges from the playground.	
5) Does the church provide adequate supervision of the playground?		
□Yes		
□No	We recommend that the church maintain appropriate supervision of the playground.	

Grounds Survey

1) <u>Is t</u> l	
□Yes	We recommend that the church correct any slip and fall hazards located on the outside church grounds, especially at the building
□No	
2) <u>Is tl</u>	he parking area well lit?
□Yes	
□No	We recommend that the church consider additional lighting in the parking
□ N/A	No parking lot
3) <u>Is t</u> l	here appropriate lighting over the entrances and any stairways, etc?
3) <u>Is the</u> ☐ Yes ☐ No	here appropriate lighting over the entrances and any stairways, etc? We recommend that the church consider additional lighting over the building entrances.
□ Yes	We recommend that the church consider additional lighting over the
□ Yes	We recommend that the church consider additional lighting over the building entrances.
□ Yes □ No 4) <u>In 1</u>	We recommend that the church consider additional lighting over the building entrances. regions subject to freezing, do any downspouts empty on to walkways? We recommend that the church redirect any down spots away from

Rectory/Dwelling Survey – (external survey is acceptable)

□ N /A	No rectory or dwelling
1) <u>Ar</u>	re there any apparent roof hazards?
□ Yes	We recommend that the church have the rectory roof reviewed by a licensed professional.
2) <u>Ar</u>	re there any apparent electrical hazards?
□ Yes	We recommend that the church have the rectory electrical system reviewed by a licensed professional.
3) <u>Ar</u>	re there any apparent structural hazards?
□ Yes	We recommend that the church have the rectory be reviewed by a licensed engineering professional.
4) <u>Ar</u>	re there any apparent slip and fall hazards?
□ Yes	We recommend that the church have the rectory reviewed for any slip and fall hazards.
5) <u>Ar</u>	e there smoke detectors and fire extinguishers in this building?
□ Yes	We recommend that the church install smoke detectors and fire extinguishers in the rectory.
6) <u>Ar</u>	re all means of egress in this building clear of obstruction?
□ Yes	We recommend that the church remove obstructions to all exits in the

Vehicle Survey

N/A No owned vehicles
1) Does the church require the use of seat belts in vehicles used by or on behalf of the church?
Yes

We recommend that the church require seat belts be utilized by all church related drivers / passengers.
2) Does the church have age requirement and background checks on drivers?
Yes

We recommend that the church develop age requirements and consider checking the driving records for all church drivers.

Summary

Below please apply a rating by selecting one of the following:		
□1	Excellent in all areas	
□2	Excellent in most areas with some improvement needed	
□3	Average risk with a list of significant concerns to be addressed	
□ 4	Risk needs significant improvements which may require Diocesan and Insurance Company ort	

Fill in Letter

Recommendations: